

Voice & Broadband

ICT Cat 5e

ICT Cat 6

ICT Optical Fibre


Pre-terminated Solutions

Consumer & SoHo

Racks & Cabinets

Product Guide

2004



Pressac



Contents

Voice & Broadband

Voice	3
Broadband	6

ICT Cat 5e

Presslink UTP Cabling System	7
Presslink FTP Cabling System	9

ICT Cat 6

Zeta UTP Cabling System	10
-------------------------	----

ICT Optical Fibre

Zeta Fibre Cable	12
Zeta Fibre Components	14
Zeta Fibre Patch Cord & Pig Tail Assemblies	16
Zeta Fibre Pre-Terminated Cable Assemblies	18

Pre-Terminated Solutions

AssuredNet	20
------------	----

Consumer & SoHo

Mini Lan Enclosure Systems	21
----------------------------	----


Racks & Cabinets

PressRAK Enclosure Systems	22
----------------------------	----

Description	Part N°	Inner	Outer
Line Jack 2 67x67x21			
2/1A single port, Master, LSA IDC	R20.5221.PSID	20	400
2/2A single port, PABX Master, LSA IDC	R20.7444.PSID	20	400
2/3A single port, Secondary, LSA IDC	R20.5223.PSID	20	400
2/4A single port, Master, Screw Terminal	R20.5221.PSST	20	400
2/5A single port PABX Screw Terminal	R20.7444.PSST	20	400
2/6A single port, Secondary, Screw Terminal	R20.5223.PSST	20	400
LJU2 Series Backbox 22mm	R20.5211	300	300
Line Jack 3 85x85x21			
3/1A single port, Master, LSA IDC	R20.5231.PSID	20	360
3/2A single port, PABX Master, LSA IDC	R20.6772.PSID	20	360
3/3A single port, Secondary, LSA IDC	R20.5233.PSID	20	360
3/4A single port, Master, Screw Terminal	R20.5231.PSST	20	360
3/5A single port PABX Screw Terminal	R20.6772.PSST	20	360
3/6A single port, Secondary, Screw Terminal	R20.5233.PSST	20	360
Line Jack 4 85x85x21			
4/1A 2 port, Master, LSA IDC	R20.5241.PSID	20	360
4/2A 2 port, PABX Master, LSA IDC	R20.5411.PSID	20	360
4/3A 2 port, Secondary, LSA IDC	R20.5243.PSID	20	360
4/4A 2 port, Master, Screw Terminal	R20.5241.PSST	20	360
4/5A single port PABX Screw Terminal	R20.5411.PSST	20	360
4/6A 2 port, Secondary, Screw Terminal	R20.5243.PSST	20	360
Line Jack 5 85x85x21			
5/1A 2 parallel port, Master/Secondary, LSA IDC	R20.5251.PSID	20	360
5/2A 2 parallel port, PABX Master/Secondary, LSA IDC	R20.5384.PSID	20	360
5/3A 2 parallel port, Secondary/Secondary, LSA IDC	R20.5253.PSID	20	360
5/4A 2 parallel port, Master/Secondary, Screw Terminal	R20.5251.PSST	20	360
5/5A single port PABX Screw Terminal	R20.5384.PSST	20	360
5/6A 2 parallel port, Secondary/Secondary, Screw Terminal	R20.5253.PSST	20	360

Pressac have been a leading supplier of voice products in the UK and global markets for the past 20 years.

Our product range includes line jacks, connection boxes xDSL and network termination equipment.



Pressac

**Call sales on
0115 936 5236**

Description	Part N°	Inner	Outer
Network Terminating Equipment			
NTE 5A IDC Connection	R20.7983.XX9ID	20	140
NTE 5B Screw Terminal	R20.7984.PSID	20	140
Water Proof Box c/w Pressure Compensation Element	60.10683.PS8XX	1	20
Water Proof Box without Pressure Compensation Element	60.10673.PS8XX	1	20
Water Proof Box Empty c/w Pressure Compensation Element	60.10667.PS8XX	1	20
Water Proof Box Empty Without Pressure Compensation Element	60.10666.PS8XX	1	20
Connection Box			
201D 20pair (2x237A) with disconnect /designation strips	60.10700.PS8XX	1	54
201D 20pair (2x237A) without disconnect /designation strips	60.10694.PS8XX	1	54
201D 20pair deep lid with disconnect /designation strips	60.10712.PS8XX	1	1
201D 20pair deep lid without disconnect /designation strips	60.10711.PS8XX	1	1
250A 50 pair empty	60.10803.PS8XX	1	1
251A 50 pair (5x237A) c/w jumper rings	60.10693.PS8XX	1	1
301A 100 pair (10x237A) c/w jumper rings	60.10695.PS8XX	1	1
P510 340 pair (34x237A) c/w jumper rings	C50.51001.PS8PC	1	1
P520 680 pair (68x237A) c/w jumper rings	C50.52001.PS8PC	1	1
P530 1020 pair (102x237A) c/w jumper rings	C50.53001.PS8PC	1	1
5 Pair Backmount Extension Frame	P63.10193.XXXXX	1	1
FD700 Single Vert 700 pair	C50.10007.PS0PC	1	1
FD700 Baying Kit	C50.10046.PS0PC	1	1
3U Subrack 150 pair (15x237A) Recessed	C50.10009.PSXXX	1	1
3U Subrack 150 pair (15x237A) Flush	C50.10045.PSXXX	1	1
Disconnect/Designation Strips			
237A (flash plate) 10 pair disconnect strip white	P60.10856.XXXXX	10	200
237A (full plate) 10 pair disconnect strip cream	P60.10696.XXXXX	10	200
237A (full plate) 10 pair disconnect strip green	P60.10696.XX5XX	10	200
237A (full plate) 10 pair disconnect strip blue	P60.10696.XX6XX	10	200
51A Designation Strip	P60.10697.XXXXX	10	200

“Both Pressac’s volumes and variety of products improve our chance of meeting end customer needs.”



Pressac

**Call sales on
0115 936 5236**

Description	Part N°	Inner	Outer
Voice General			
77A 3 pair to 3 pair IDC terminal block	R20.10043.PSID	50	300
78A 4 pair to 4 pair IDC terminal block	R20.10278.PSID	50	300
LSA Punchdown Tool	P60.10726.XXXXX	1	30
Strip Connectors - 3 way/BT238A	R20.9180	5000	5000
Strip Connectors - 4 way/BT239A	R20.9514	5000	5000
Strip Connectors - 4 way/3.81mm	74.10201.XX9XX	10000	10000
430A Plug	R20.4934	5000	5000
431A Plug	R20.4844	5000	5000
630A Plug	R20.4936	5000	5000
631A Plug	R20.4846	5000	5000
10/3A Doubler	R20.5296.PS	50	50
RJ45/BT601 Line Adapters			
Corded Master (150mm cord)	D60.10496	20	200
Corded PABX (150mm cord)	D60.10495	20	200
Corded Secondary (150mm cord)	D60.10497	20	200
Fixed Master	D60.10488	40	400
Fixed PABX	D60.10487	40	400
Fixed Secondary	D60.10489	40	400

Quality Management Systems

- ISO 9001-Quality Management Systems
- ISO 14001-Environmental Management Systems
- QS-9000-Global Quality Standards
- BAPT PS 340 / PQC-Telecoms Quality Systems



Pressac

**Call sales on
0115 936 5236**

Description	Part N°	Inner	Outer
DSL - Fixed Connectivity			
ADSL NTE CCU Assembly	60.10705.PS9XX	20	100
ADSL NTE CCU Voice Data Hardwired	60.10922.PS9XX	20	100
DSL - Extension Lead Kits			
ADSL Extension Socket 5.0 Metre	60.10706.XXXJ0	10	100
ADSL Extension Socket 10.0 Metre	60.10706.XXXK0	10	100
ADSL Extension Socket 30 Metre	60.10706.XXXXX	10	100
DSL - Microfilters			
DSL Microfilter Assembly	60.10881.XXXXX	125	500
LJ2 ADSL Microfilter Assembly	60.10972.PS9XX	20	100
LJ3 ADSL Microfilter Assembly	60.10973.PS9XX	20	100
LJ3 with backbox	60.10983.PS9XX	20	100
LJ4 RJ45 601 Microfilter Assembly	60.10974.PS9XX	20	100
Hardwire ADSL Filter	60.10975.PS9XX	20	100

Quality Management Systems

- Ford Q1 - Continuous Quality Improvement.
- BICSI Global Voice / ICT Networks Authority
Registered Cabling Distribution Designer
- DELTA Certification – Independent
Product Testing Cable Component Compliance



Pressac

Call sales on
0115 936 5236

ICT Cat 5e Presslink UTP Cabling System

7

Description	Part N°	Inner	Outer
-------------	---------	-------	-------

Cables - Press Link Plus 125MHz

4Pr UTP, Cat5E PVC Grey 305m, Reelex Box	P67.10122.XXXPV	1	30
4Pr UTP, Cat5E LSOH Violet 305m, Reelex Box	P67.10122.XXXLZ	1	30

Fixed Faceplates

UK 86x86, Single RJ45/Krone Shuttered	60.10101.PSID	20	360
UK 86x86, Double RJ45/Krone Shuttered	60.10105.PSID	20	360

Modules - Eurostyle

25x50mm RJ45 Cat5E Module	D60.10684.PS9XX	25	250
25x50mm Angled Cat 5E Module	D60.10906.PS9XX	25	250
25x50mm BT Outlet Master	D60.10593	25	250
25x50mm BT Outlet PBX Master	D60.10594	25	250
25x50mm BT Outlet Secondary	D60.10595	25	250

Faceplates - Eurostyle

Single Gang UK Frame, 25x50mm Window	D60.10317	25	250
Single Gang UK Frame, 50x50mm Window	D60.10318	25	250
Double Gang UK Frame, 100x50mm Window	D60.10319	12	120
Single Gang Bevelled UK Frame, 50x50mm Window	46.00074	20	240
Double Gang Bevelled UK Frame, 100x50mm Window	46.00075	12	144
50X 12.5mm Blanking Plate	D62.10138	200	2000
50X 25mm Blanking Plate	D62.10106	120	1200
50X 50mm Blanking Plate	D62.10139	50	500


Modules - 6C

22x37mm RJ45 Cat5E 6C Module	D60.10674.PS9XX	25	250
------------------------------	-----------------	----	-----

Faceplates - 6C

Single Gang UK Frame, 22x37mm Window	D60.10353	25	250
Single Gang UK Frame, 2 x 22x37mm Windows	D60.10354	25	250
Double Gang UK Frame, 4x22x37mm Windows	D60.10355	12	120
22x37mm Blanking Plate	D62.10190	100	1000

“Pressac people are customer focused”



Pressac

**Call sales on
0115 936 5236**

ICT Cat 5e Presslink UTP Cabling System

Description	Part N°	Inner	Outer
Backboxes			
Single Gang Back Box 22mm	R20.7989	196	196
Single Gang Deep Back Box 32mm	46.00065	150	150
Double Gang Deep Back Box 32mm	46.00066	100	100
Patch Panels			
16 Port, 568B Wired	D60.10689.PS0XX	1	10
24 Port, 568B Wired	D60.10691.PS0XX	1	10
32 Port, 568B Wired	D60.10690.PS0XX	1	10
48 Port, 568B Wired	D60.10692.PS0XX	1	10
1.5U 16 way Eurostyle blank panel	60.10882.XX0PP	1	1
1U 50 way voice panel	D60.10865.PS0XX	1	1
1U Cable Manager, 4 Ring	D60.10371.PS0XX	1	1
2U Cable Manager, 4 Ring	D60.10372.PS0XX	1	1
Patchcords - Booted			
0.5 metres	D60.10701.D5XX	1	10
1.0 metres	D60.10701.01XX	1	10
2.0 metres	D60.10701.02XX	1	10
3.0 metres	D60.10701.03XX	1	10
5.0 metres	D60.10701.05XX	1	10

Where: XX = BU - Blue, XX = YW - Yellow, XX = GY - Grey, XX = RD - Red, XX = GN - Green

The Presslink UTP & FTP Cabling systems range has been independently verified to TIA/EIA-568-B.2-1.

This range of Category 5e products has both a Eurostyle and 6C modular faceplate offering and is backed up by a full 20 years performance warranty.



Pressac

**Call sales on
0115 936 5236**

ICT Cat 5e Presslink FTP Cabling System

Description	Part N°	Inner	Outer
Cat 5E FTP Cable - Press Link Plus 125MHz			
4Pr FTP, Cat5E PVC Grey 305m, Reelex Box	P67.10115.XXXPV	1	27
4Pr FTP, Cat5E LSOH Grey 305m, Reelex Box	P67.10115.XXXLZ	1	27
RJ45 Modules			
25x50mm RJ45 Cat5E FTP Module	D60.20684.PS9XX	25	250
22x37mm RJ45 Cat5E FTP 6C Module	D60.20674.PS9XX	25	250
Patch Panels			
Cat5E FTP 16 Port, 568B Wired	D60.20689.PS0XX	1	10
Cat5E FTP 24 Port, 568B Wired	D60.20691.PS0XX	1	10
Cat5E FTP 48 Port, 568B Wired	D60.20692.PS0XX	1	10
Patchcords - Booted			
1.0 metres	D60.20701.01GY	1	10
2.0 metres	D60.20701.02GY	1	10
3.0 metres	D60.20701.03GY	1	10
5.0 metres	D60.20701.05GY	1	10
Tools			
LSA Punchdown Tool	P60.10726.XXXXX	1	30
19" Out Rigger (Suitable for Press Link & Zeta)	C50.10178.PS0PC	1	1

**"We stand by our name.
Credibility for us is just as much a part of the
products we install that's why we use Pressac."**



Pressac

**Call sales on
0115 936 5236**

ICT Cat 6

Zeta UTP Cabling System

10

Description	Part N°	Inner	Outer
-------------	---------	-------	-------

Zeta 6 Cable

4Pr UTP, FRPVC Grey 305m, Reflex Box	46.10041	1	30
4Pr UTP, FR/LSOH Violet 305m, Reflex Box	46.10042	1	30
4Pr UTP, FRPVC Grey 500m drum	46.10043	1	18
4Pr UTP, FR/LSOH Violet 500m drum	46.10044	1	12

Zeta 625 Component Compliant Product

Patch Cords Manufactured at Pressac - For Component Compliant

0.5 metres	46.10205.XXM	1	10
1.0 metres	46.10210.XXM	1	10
2.0 metres	46.10220.XXM	1	10
3.0 metres	46.10230.XXM	1	10
5.0 metres	46.10250.XXM	1	10

Where: XX = BU - Blue, XX = YW - Yellow, XX = GY - Grey, XX = RD - Red, XX = GN - Green

Zeta 6 Eurostyle RJ45 Module Component Compliant

25x50mm RJ45 Cat6 Module	46.10079.C	25	250
--------------------------	------------	----	-----

Zeta 6 6C RJ45 Module Component Compliant

23 x 37mm RJ45 Cat6 Module	46.10066.C	25	250
----------------------------	------------	----	-----

Zeta 6 RJ45 Patch Panel Component Compliant

16 Port, 568B Wired	46.10016.C	1	10
24 Port, 568B Wired	46.10024.C	1	10
48 Port, 568B Wired	46.10048.C	1	10

Zeta 6 Standard Channel & Permanent Link Compliant Product

Cat 6 Patch Cords Purchased - For Channel & Permanent Link

0.5 metres	46.10205.XX	1	10
1.0 metres	46.10210.XX	1	10
2.0 metres	46.10220.XX	1	10
3.0 metres	46.10230.XX	1	10
5.0 metres	46.10250.XX	1	10

Where: XX = BU - Blue, XX = YW - Yellow, XX = GY - Grey, XX = RD - Red, XX = GN - Green

Designed and manufactured by Pressac, the Zeta 625 range provides a true Category 6 structured cabling solution.

Each product has been independently verified to TIA/EIA-568-B.2-1 and offers both channel and link performance as well as component compliance, verified by DELTA



Pressac


Call sales on
0115 936 5236

ICT Cat 6

Zeta UTP Cabling System

Description	Part N°	Inner	Outer
Zeta 6 Eurostyle RJ45 Module			
25x50mm RJ45 Cat6 Module	46.10079	25	250
Zeta 6 6C RJ45 Module			
23 x 37mm RJ45 Cat6 Module	46.10066	25	250
Zeta 6 RJ45 Patch Panel			
16 Port, 568B Wired	46.10016	1	10
24 Port, 568B Wired	46.10024	1	10
48 Port, 568B Wired	46.10048	1	10
Generic Cat 6 Range Products			
Horizontal Cable Management			
1U Cable Manager, 4 Ring	46.00011	1	1
2U Cable Manager, 4 Ring	46.00012	1	1
Tools			
LSA Punchdown Tool	P60.10726.XXXXX	1	30
19" Out Rigger (Suitable for Press Link & Zeta)	C50.10178.PS0PC	1	1
Faceplates - Eurostyle, Modular			
Single Gang UK Frame, 25x50mm Window	46.00071	25	250
Single Gang UK Frame, 50x50mm Window	46.00072	25	250
Double Gang UK Frame, 100x50mm Window	46.00073	12	120
Single Gang Bevelled UK Frame, 50x50mm Window	46.00074	20	240
Double Gang Bevelled UK Frame, 100x50mm Window	46.00075	12	144
50x12.5mm Blanking Plate	46.00076	200	2000
50x25mm Blanking Plate	46.00077	120	1200
50x50mm Blanking Plate	46.00078	50	500
Faceplates - 6C			
Single Gang UK Frame, 22x37mm Window	46.00061	25	250
Single Gang UK Frame, 2 x 22x37mm Windows	46.00062	25	250
Double Gang UK Frame, 4 x 22x37mm Windows	46.00063	12	120
22x37mm Blanking Plate	46.00064	100	1000

“In meeting our end customer needs and being able to provide cost effective inventive solutions – flexibility of suppliers is essential”



Pressac

**Call sales on
0115 936 5236**

ICT Optical Fibre

Zeta Fibre Cable

Description

Part N°

Zeta Fibre Cable (stock profile)

Loose Tube Fibre - OM2 (Gel filled)

4cr 50/125µm	FC.L.50.04.2
8cr 50/125µm	FC.L.50.08.2
12cr 50/125µm	FC.L.50.12.3
16cr 50/125µm	FC.L.50.16.4
24cr 50/125µm	FC.L.50.24.5

Tight Buffered - OM2

4cr 50/125µm	FC.T.50.4.2
8cr 50/125µm	FC.T.50.8.2
12cr 50/125µm	FC.T.50.12.2

Loose Tube Fibre (Gel filled)

4cr 62.5/125µm	FC.L.62.04.K
6cr 62.5/125µm	FC.L.62.06.K
8cr 62.5/125µm	FC.L.62.08.K
12cr 62.5/125µm	FC.L.62.12.K
16cr 62.5/125µm	FC.L.62.16.K
24cr 62.5/125µm	FC.L.62.24.K

Tight Buffered

4cr 62.5/125µm	FC.T.62.04.K
8cr 62.5/125µm	FC.T.62.08.K
12cr 62.5/125µm	FC.T.62.12.K

All cables are internal/external grade multi function cable with E-glass yarn water absorbent none metallic strain relief.

Cable jacket is in a blue rodent resistant LSOH flame retardant finish.

Key

Unit of measure 1mtr	Product	Buffer	Core Size	Fibre Count	Grade
	FC	Loose Tube	62µm	02 (2 core)	K (Basic)
		Tight Buffer	50µm	04 (4 core)	2 (OM2)
			9µm	06 (6 core)	3 (OM3)
				08 (8 core)	S (OS1)
				12 (12 core)	
				16 (16 core)	
				24 (24 core)	

Zeta Fibre produces a range of fibre optic products which have been specifically designed for integration into structured cabling systems. Zeta Fibre provides a complete solution for installation of horizontal, backbone and Campus optical fibre links.



Pressac

Call sales on
0115 936 5236

ICT Optical Fibre

Zeta Fibre Cable


Explanation of Grades

The grade of the fibre refers to the quality of the 'Core' & 'Cladding' which are both solid glass. The core is what carries the light and the cladding contains the light within the core. The OM or OS rating is the quality of the material and how it affects transmission. The table below shows the full extent of the distance cables can be run against the operational protocol used.

Grade of Fibre	Protocol	Maximum Distance
OM1	10Base-Tx	2000
OM2	10Base-Tx	2000
OM3	10Base-Tx	2000
OM1	100Base-Tx	2000
OM2	100Base-Tx	2000
OM3	100Base-Tx	2000
OM1	1000Base-SX	220
OM2	1000Base-SX	550
OM3	1000Base-SX	1000
OM1	1000Base-LX	550
OM2	1000Base-LX	550
OM3	1000Base-LX	1000
OS1	1000Base-LX	3000

* Tx is based on an 850nm wavelength

Zeta Fibre assemblies offer a wide range of optical fibre connectivity, from ST, SC and LC patchcords to pigtails. Special assemblies can also be manufactured.



Pressac

**Call sales on
0115 936 5236**

ICT Optical Fibre

Zeta Fibre Components

Description	Part N°	Inner	Outer
Recessed Mounting Patch Panels (Sliding Drawer)			
1U 24 way unloaded ST Panel	48.PP.ST100XXX	1	1
1U 8 way loaded ST panel	48.PP.ST108MMBS	1	1
1U 24 way loaded ST Panel	48.PP.ST124MMBS	1	1
1U 24 way unloaded SC Duplex Panel	48.PP.SC100XXX	1	1
1U 8 way loaded 4xSC Duplex Panel	48.PP.SC108MMBD	1	1
1U 24 way loaded 12xSC Duplex Panel	48.PP.SC124MMBD	1	1
1U Unloaded LC (Duplex) Panel	48.PP.LC100XXX	1	1
1U 12 Port loaded 12xLC (Duplex)	48.PP.LC112MMBD	1	1
1U 24 Port loaded 24xLC (Duplex)	48.PP.MT124MMBD	1	1
Recessed/Flush Mounting Splicing Patch Panels (Sliding Drawer)			
1U Unloaded ST Panel c/w Dual Splice Tray	48.SP.ST100XXX	1	1
1U 12 Port 12xST Panel c/w Dual Splice Tray	48.SP.ST112MBS	1	1
1U 24 Port 24xST Panel c/w Dual Splice Tray	48.SP.ST124MBS	1	1
1U Unloaded SC Panel c/w Dual Splice Tray	48.SP.SC100XXX	1	1
1U 12 Port 6xSC(Duplex) Panel c/w Dual Splice Tray	48.SP.SC112MBS	1	1
1U 24 Port 12xSC(Duplex) Panel c/w Dual Splice Tray	48.SP.SC124MBS	1	1
1U Unloaded LC (Duplex) Panel c/w Dual Splice Tray	48.SP.LC100XXX	1	1
1U 12 Port loaded 12xLC (Duplex) c/w Dual Splice Tray	48.SP.LC112MMBD	1	1
1U 24 Port loaded 24xLC (Duplex) c/w Dual Splice Tray	48.SP.MT124MMBD	1	1
Breakout Boxes			
12 way unloaded ST Simplex	48.BB.ST00XXXS	1	1
4 Port 4xST Simplex	48.BB.ST04MMBS	1	1
12 Port 12xST Simplex	48.BB.ST12MMBS	1	1
Unloaded SC Simplex	48.BB.SC00XXXS	1	1
4 Port 4xSC Simplex	48.BB.SC04MMBS	1	1
12 Port 12xSC Simplex	48.BB.SC12MMBS	1	1
Unloaded SC Duplex	48.BB.SC00XXXS	1	1
4 Port 2xSC Duplex	48.BB.SC04MMBD	1	1
12 Port 6xSC Duplex	48.BB.SC12MMBD	1	1
Unloaded SC Duplex	48.BB.LC00XXXS	1	1
6 Port 6xLC Duplex (Multi Mode)	48.BB.LC06MMD	1	1
6 Port 6xLC Duplex (Single Mode)	48.BB.LC06SMD	1	1

“Pressac does well on quality compared to other competitors”



Pressac

**Call sales on
0115 936 5236**

ICT Optical Fibre

Zeta Fibre Components

Description	Part N°	Inner	Outer
-------------	---------	-------	-------

Adapters

ST/ST Adapter (Phosphor Bronze Sleeve)	48.AD.STSTMMBS	50	50
SC/SC Simplex Adapter (Phosphor Bronze Sleeve)	48.AD.SCPCMMBS	50	50
SC/SC Duplex Adapter (Phosphor Bronze Sleeve)	48.AD.SCPCMMBD	50	50
SC/ST Simplex Adapter (Phosphor Bronze Sleeve)	48.AD.SCSTMMBS	50	50
SC/ST Duplex Adapter (Phosphor Bronze Sleeve)	48.AD.SCSTMMBD	50	50
MTRJ/MTRJ Adapter	48.AD.MTRJMMD	50	50
LC/LC Adapter	48.AD.LCLCMMD	50	50
LC/LC Adapter	48.AD.LCLCSMD	50	50

Cold Cure Connector System

ST/SC Cold Cure Termination Kit	48.CC.STSC	1	1
ST Cold Cure Replenishment Kit (50 Connector)	48.CC.STR050	1	1
ST Cold Cure Replenishment Kit (250 Connector)	48.CC.STR250	1	1
SC Cold Cure Replenishment Kit (50 Connector)	48.CC.SCR050	1	1
SC Cold Cure Replenishment Kit (250 Connector)	48.CC.SCR250	1	1
ST/SC Cold Cure Replenishment Kit (50 Connector)	48.CC.SCSTR050	1	1

Opto Press No Polish Fibre Termination

Opto Press Tool Kit	D60.10427	1	1
ST Connectors 62.5/125	D60.10425	100	100
ST Connectors 50/125	D60.10441	100	100
SC Connectors 62.5/125	D60.10426	100	100
SC Connectors 50/125	D60.10442	100	100
6 Way Breakout Kit	D60.10428	1	1
12 Way Breakout Kit	D60.10429	1	1
Opto Fibre Splice Tool	D60.10574	1	1
Opto Fibre Splices	D60.10573	6	6

“Pressac people understand our business and customer base so that communications are efficient and understood.”



Pressac

**Call sales on
0115 936 5236**

ICT Optical Fibre

Zeta Fibre Patch Cord & Pig Tail Assemblies

Description Part N° Inner Outer

Fibre Patch Cords-Duplex 62.5/125 & 50/125 MULTIMODE

Grey/Orange Buffer Zip Twin Cable 2.8mm

Duplex, Ceramic ST-ST, MULTIMODE, 1m	48.PC.STSTXXD1	1	10
Duplex, Ceramic ST-ST, MULTIMODE, 2m	48.PC.STSTXXD2	1	10
Duplex, Ceramic ST-ST, MULTIMODE, 3m	48.PC.STSTXXD3	1	10
Duplex, Ceramic ST-ST, MULTIMODE, 5m	48.PC.STSTXXD5	1	10
Duplex, Ceramic ST-ST, MULTIMODE, 7m	48.PC.STSTXXD7	1	10
Duplex, Ceramic SC-SC, MULTIMODE, 1m	48.PC.SCSCXXD1	1	10
Duplex, Ceramic SC-SC, MULTIMODE, 2m	48.PC.SCSCXXD2	1	10
Duplex, Ceramic SC-SC, MULTIMODE, 3m	48.PC.SCSCXXD3	1	10
Duplex, Ceramic SC-SC, MULTIMODE, 5m	48.PC.SCSCXXD5	1	10
Duplex, Ceramic SC-SC, MULTIMODE, 7m	48.PC.SCSCXXD7	1	10
Duplex, Ceramic ST-SC, MULTIMODE, 1m	48.PC.STSCXXD1	1	10
Duplex, Ceramic ST-SC, MULTIMODE, 2m	48.PC.STSCXXD2	1	10
Duplex, Ceramic ST-SC, MULTIMODE, 3m	48.PC.STSCXXD3	1	10
Duplex, Ceramic ST-SC, MULTIMODE, 5m	48.PC.STSCXXD5	1	10
Duplex, Ceramic ST-SC, MULTIMODE, 7m	48.PC.STSCXXD7	1	10

Replace XX with 62=62.5, 50=50/125

Fibre Patch Cord -LC Duplex 62.5/125 & 50/125 MULTIMODE (Lucent Connector)

Grey/Orange Buffer Zip Twin Cable 2.1mm

Duplex, LC -ST Ceramic, MULTIMODE, 1m	48.PC.STLCXXD1	1	10
Duplex, LC -ST Ceramic, MULTIMODE, 2m	48.PC.STLCXXD2	1	10
Duplex, LC -ST Ceramic, MULTIMODE, 3m	48.PC.STLCXXD3	1	10
Duplex, LC -ST Ceramic, MULTIMODE, 5m	48.PC.STLCXXD5	1	10
Duplex, LC -ST Ceramic, MULTIMODE, 7m	48.PC.STLCXXD7	1	10

Grey/Orange Buffer Zip Twin Cable 2.1mm

Duplex, LC -SC Ceramic, MULTIMODE, 1m	48.PC.SCLCXXD1	1	10
Duplex, LC -SC Ceramic, MULTIMODE, 2m	48.PC.SCLCXXD2	1	10
Duplex, LC -SC Ceramic, MULTIMODE, 3m	48.PC.SCLCXXD3	1	10
Duplex, LC -SC Ceramic, MULTIMODE, 5m	48.PC.SCLCXXD5	1	10
Duplex, LC -SC Ceramic, MULTIMODE, 7m	48.PC.SCLCXXD7	1	10

Grey/Orange Buffer Zip Twin Cable 2.1mm

Duplex, LC-LC, MULTIMODE, 1m	48.PC.LCLCXXD1	1	10
Duplex, LC-LC, MULTIMODE, 2m	48.PC.LCLCXXD2	1	10
Duplex, LC-LC, MULTIMODE, 3m	48.PC.LCLCXXD3	1	10
Duplex, LC-LC, MULTIMODE, 5m	48.PC.LCLCXXD5	1	10
Duplex, LC-LC, MULTIMODE, 7m	48.PC.LCLCXXD7	1	10



Pressac

“Brian is our best supplier contact and always responds quickly. His attention to detail is superb.”

Call sales on
0115 936 5236

ICT Optical Fibre

Zeta Fibre Patch Cord & Pig Tail Assemblies

Description	Part N°	Inner	Outer
Fibre Pigtails - Simplex 62.5/125 & 50/125 MULTIMODE			
White 900um buffer			
Pigtail, ST Ceramic, MULTIMODE 1.5m	48.PIG.STXXS2	1	10
Pigtail, SC Ceramic, MULTIMODE 1.5m	48.PIG.SCXXS2	1	10
Pigtail, LC, MULTIMODE 1.5m (Duplex)	48.PIG.LCXXD2	1	10

Replace XX with 62=62.5, 50=50/125

Fibre Patch Cords - Duplex SINGLEMODE UPC (Ultra Polished Connector)

Yellow Buffer Zip Cable 2.1mm

Simplex, Ceramic LC-LC, SINGLEMODE, 1m	48.PC.LCLC09D1	1	10
Simplex, Ceramic LC-LC, SINGLEMODE, 3m	48.PC.LCLC09D3	1	10
Simplex, Ceramic LC-LC, SINGLEMODE, 5m	48.PC.LCLC09D5	1	10

Yellow Buffer Zip Cable 2.8mm

Simplex, Ceramic SC-SC, SINGLEMODE, 1m	48.PC.SCSC09D1	1	10
Simplex, Ceramic SC-SC, SINGLEMODE, 3m	48.PC.SCSC09D3	1	10
Simplex, Ceramic SC-SC, SINGLEMODE, 5m	48.PC.SCSC09D5	1	10

Yellow Buffer Zip Cable 2.1mm

Simplex, Ceramic LC-SC, SINGLEMODE, 1m	48.PC.SCLC09D1	1	10
Simplex, Ceramic LC-SC, SINGLEMODE, 3m	48.PC.SCLC09D3	1	10
Simplex, Ceramic LC-SC, SINGLEMODE, 5m	48.PC.SCLC09D5	1	10

Yellow Buffer Zip Cable 2.1mm

Simplex, Ceramic LC-FC, SINGLEMODE, 1m	48.PC.LCFC09D1	1	10
Simplex, Ceramic LC-FC, SINGLEMODE, 3m	48.PC.LCFC09D3	1	10
Simplex, Ceramic LC-FC, SINGLEMODE, 5m	48.PC.LCFC09D5	1	10

Yellow Buffer Zip Cable 2.1mm

Simplex, Ceramic FC-FC, SINGLEMODE, 1m	48.PC.FCFC09D1	1	10
Simplex, Ceramic FC-FC, SINGLEMODE, 3m	48.PC.FCFC09D3	1	10
Simplex, Ceramic FC-FC, SINGLEMODE, 5m	48.PC.FCFC09D5	1	10

Fibre Pigtails - Simplex SINGLEMODE

White 900um buffer

Pigtail, LC Ceramic, SINGLEMODE 1.5m (Duplex)	48.PIG.LC09D2	1	10
Pigtail, SC Ceramic, SINGLEMODE 1.5m	48.PIG.SC09S2	1	10
Pigtail, FC Ceramic, SINGLEMODE 1.5m	48.PIG.FC09S2	1	10

SC is currently the most popular Singlemode cord in simplex although LC is being installed on all Cisco equipment making its future assured. At all times we must remain flexible enough to manufacture none standard lengths and connector types i.e .FC/PC, ST, MTRJ.


Colour Code

62.5/125µm = Grey

50/125µm = Orange

9/125µm = Yellow

“We work with Pressac to challenging end customer delivery dates often at very short notice.”



Pressac

**Call sales on
0115 936 5236**

ICT Optical Fibre

Zeta Fibre Pre-Terminated Cable Assemblies

Description Part N° Inner Outer

Preterminated Solution - 62.5/125µm MULTIMODE (OM1 Grade)

2Core ST-ST 62.5/125 OM1 Assembly c/w Pulling Eye	48.P.02STST.61XXX	1	1
4 Core ST-ST 62.5/125 OM1 Assembly c/w Pulling Eye	48.P.04STST.61XXX	1	1
6 Core ST-ST 62.5/125 OM1 Assembly c/w Pulling Eye	48.P.06STST.61XXX	1	1
8 Core ST-ST 62.5/125 OM1 Assembly c/w Pulling Eye	48.P.08STST.61XXX	1	1
12 Core ST-ST 62.5/125 OM1 Assembly c/w Pulling Eye	48.P.12STST.61XXX	1	1
2 Core SC-SC 62.5/125 OM1 Assembly c/w Pulling Eye	48.P.02SCSC.61XXX	1	1
4 Core SC-SC 62.5/125 OM1 Assembly c/w Pulling Eye	48.P.04SCSC.61XXX	1	1
6 Core SC-SC 62.5/125 OM1 Assembly c/w Pulling Eye	48.P.06SCSC.61XXX	1	1
8 Core SC-SC 62.5/125 OM1 Assembly c/w Pulling Eye	48.P.08SCSC.61XXX	1	1
12 Core SC-SC 62.5/125 OM1 Assembly c/w Pulling Eye	48.P.12SCSC.61XXX	1	1

Preterminated Solution - 50/125µm MULTIMODE (OM2 Grade)

2 Core ST-ST 62.5/125 OM2 Assembly c/w Pulling Eye	48.P.02STST.52XXX	1	1
4 Core ST-ST 62.5/125 OM2 Assembly c/w Pulling Eye	48.P.04STST.52XXX	1	1
6 Core ST-ST 62.5/125 OM2 Assembly c/w Pulling Eye	48.P.06STST.52XXX	1	1
8 Core ST-ST 62.5/125 OM2 Assembly c/w Pulling Eye	48.P.08STST.52XXX	1	1
12 Core ST-ST 62.5/125 OM2 Assembly c/w Pulling Eye	48.P.12STST.52XXX	1	1
2 Core SC-SC 62.5/125 OM2 Assembly c/w Pulling Eye	48.P.02SCSC.52XXX	1	1
4 Core SC-SC 62.5/125 OM2 Assembly c/w Pulling Eye	48.P.04SCSC.52XXX	1	1
6 Core SC-SC 62.5/125 OM2 Assembly c/w Pulling Eye	48.P.06SCSC.52XXX	1	1
8 Core SC-SC 62.5/125 OM2 Assembly c/w Pulling Eye	48.P.08SCSC.52XXX	1	1
12 Core SC-SC 62.5/125 OM2 Assembly c/w Pulling Eye	48.P.12SCSC.52XXX	1	1

Preterminated Solution - 50/125µm MULTIMODE (OM3 Grade)

2 Core ST-ST 62.5/125 OM3 Assembly c/w Pulling Eye	48.P.02STST.53XXX	1	1
4 Core ST-ST 62.5/125 OM3 Assembly c/w Pulling Eye	48.P.04STST.53XXX	1	1
6 Core ST-ST 62.5/125 OM3 Assembly c/w Pulling Eye	48.P.06STST.53XXX	1	1
8 Core ST-ST 62.5/125 OM3 Assembly c/w Pulling Eye	48.P.08STST.53XXX	1	1
12 Core ST-ST 62.5/125 OM3 Assembly c/w Pulling Eye	48.P.12STST.53XXX	1	1
2 Core SC-SC 62.5/125 OM3 Assembly c/w Pulling Eye	48.P.02SCSC.53XXX	1	1
4 Core SC-SC 62.5/125 OM3 Assembly c/w Pulling Eye	48.P.04SCSC.53XXX	1	1
6 Core SC-SC 62.5/125 OM3 Assembly c/w Pulling Eye	48.P.06SCSC.53XXX	1	1
4 Core SC-SC 62.5/125 OM3 Assembly c/w Pulling Eye	48.P.08SCSC.53XXX	1	1
8 Core SC-SC 62.5/125 OM3 Assembly c/w Pulling Eye	48.P.12SCSC.53XXX	1	1

Replace XX with 62=62.5, 50=50/125

**Customer Returns rate - ppm (parts per million);
We are extremely proud of our achievements.**

**In the past two years product returns from
our volume sales sector, i.e. major voice,
ICT and automotive customers = 0**



Pressac

**Call sales on
0115 936 5236**

ICT Optical Fibre

Zeta Fibre Pre-Terminated Cable Assemblies

Description	Part N°	Inner	Outer
Preterminated Solution - 50/125µm MULTIMODE (OM3 Grade)			
2 Core MTRJ-MTRJ 62.5/125 OM3 Assembly c/w Pulling Eye	48.P.02LCLC.53XXX	1	1
4 Core MTRJ-MTRJ 62.5/125 OM3 Assembly c/w Pulling Eye	48.P.04LCLC.53XXX	1	1
6 Core MTRJ-MTRJ 62.5/125 OM3 Assembly c/w Pulling Eye	48.P.06LCLC.53XXX	1	1
8 Core MTRJ-MTRJ 62.5/125 OM3 Assembly c/w Pulling Eye	48.P.08LCLC.53XXX	1	1
12 Core MTRJ-MTRJ 62.5/125 OM3 Assembly c/w Pulling Eye	48.P.12LCLC.53XXX	1	1

SC is currently the most popular Singlemode cord in simplex although LC is being installed on all Cisco equipment making its future assured. At all times we must remain flexible enough to manufacture none standard lengths and connector types i.e .FC/PC, ST, MTRJ.


Explanation of Grades

The grade of the fibre refers to the quality of the 'Core' & 'Cladding' which are both solid glass. The core is what carries the light and the cladding contains the light within the core. The OM or SM rating is the quality of the material and how it affects transmission. The table below shows the full extent of the distance cables can be run against the operational protocol used.

Grade of Fibre	Protocol	Maximum Distance
OM1	10Base-Tx	2000
OM2	10Base-Tx	2000
OM3	10Base-Tx	2000
OM1	100Base-Tx	2000
OM2	100Base-Tx	2000
OM3	100Base-Tx	2000
OM1	1000Base-SX	220
OM2	1000Base-SX	550
OM3	1000Base-SX	1000
OM1	1000Base-LX	550
OM2	1000Base-LX	550
OM3	1000Base-LX	1000
SM1	1000Base-LX	3000

* Tx is based on an 850nm wavelength

“Being our lowest price UK supplier, they are extremely competitive. Our customers demand value and they get it with Pressac.”



Pressac

**Call sales on
0115 936 5236**

Preterminated Solutions

AssuredNet

20

Description	Part N°	Inner	Outer
Connectivity			
4 Port Back Entry Pod Cat6 - Black	TBA	1	1
4 Port Side Entry Pod Cat6 - White	TBA	1	1
4 Port Back Entry Pod Cat 5E – Black	TBA	1	1
4 Port Side Entry Pod Cat 5E - White	TBA	1	1
Shuttered F/Plate Assembly 100 x 50mm	TBA	1	1
Patchpanel Metalwork Cat 6	TBA	1	1
Cable			
Cat6 LSOH - 4 Wire Reeled	TBA	1	1
Cat6 PVC - 4 Wire Reeled	TBA	1	1
Cat5E Cable 4 wire LSOH	TBA	1	1
Cat5E Cable 4 wire PVC	TBA	1	1

Stock Items

15, 20, 25 Mtr panel to panel lengths

25, 50, 75 Mtr panel to powerpost / dado rail lengths

25, 50, 75 Mtr panel to floor box lengths


Bespoke

Any lengths or configurations not included within the above stock items, from 15 to 90 Mtrs in 0.5 Mtr increments.

Order Fulfilment

Pressac makes every effort to dispatch stock orders within 48hrs for orders placed before 3pm. Please call to discuss getting bespoke orders to you within your timeframe.

Designed to meet the needs of installers and end customers working to demanding timescales but not wanting to compromise on quality.



Pressac

With stock items and bespoke offerings Pressac can help you deliver that project on time and on budget.

**Call sales on
0115 936 5236**


Consumer & SoHo

Mini Lan Enclosure Systems

21

Description	Part N°	Inner	Outer
Mini-LAN SOHO enclosures			
8U Mini-LAN Enclosure	C50.10161.PS8PC	1	1
10U Mini-LAN Enclosure	C50.10162.PS8PC	1	1
12U Mini-LAN Enclosure	C50.10163.PS8PC	1	1
Mini-LAN Patch Panels			
8 Way Cat5e Patch Panel	C50.10164.PS8PC	1	1
8 Way Cat6 Patch Panel	C50.10165.PS8PC	1	1
16 Way Cat5e Patch Panel	C50.10166.PS8PC	1	1
16 Way Cat6 Patch Panel	C50.10167.PS8PC	1	1
Mini-LAN Optical Fibre Patch Panels c/w Sliding Tray			
4 way loaded ST multimode Fibre Tray	C50.10173.PS8PC	1	1
4 way loaded 2xSC Duplex Multi Mode Fibre Tray	C50.10174.PS8PC	1	1
4 way loaded ST singlemode Fibre Tray	C50.10175.PS8PC	1	1
4 Way loaded 2xSC Duplex singlemode Fibre Tray	C50.10176.PS8PC	1	1
Mini-LAN Accessories			
1U x 120mm Shelf	C50.10168.PS8PC	1	1
1U Brush Tidy	C50.10169.PS8PC	1	1
1U Blank Panel	C50.10170.PS8PC	1	1
2U Blank Panel	C50.10171.PS8PC	1	1
3U Blank Panel	C50.10172.PS8PC	1	1

Our Mini-LAN 10" enclosure systems are perfectly matched to the SoHo and residential environment.



Pressac

**Call sales on
0115 936 5236**

Racks & Cabinets

PressRAK Enclosure Systems

Description Part N°

Wall Mounted Cabinets c/w Slam-lock and Removable Side Panels, Earthing Kit

6U, 450mm deep WALL CABINET	C50.10144.PS8PC
9U, 450mm deep WALL CABINET	C50.10145.PS8PC
2U, 450mm deep WALL CABINET	C50.10146.PS8PC

Floor Standing Cabinets c/w Panel Mounts front and rear, Removable Side Panels (Vented), Glass Front Door, Metal Rear Door (Vented), Slam-lock, Castors, Earthing Kit

600 x 600

42U 600 x 600 CABINET	C50.10070.PS8PC
-----------------------	-----------------

600 x 800

42U 600 X 800 CABINET	C50.10114.PS8PC
47U 600 X 800 CABINET	C50.10137.PS8PC

Floor Standing Cabinets, Additional Bay Glass Front Door, Metal Rear Door (Vented), Slam-lock, Castors, Earthing Kit

600 x 800

42U 600 X 800 ADDITIONAL BAY	C50.10117.PS8PC
47U 600 X 800 ADDITIONAL BAY	C50.10138.PS8PC

Shelves

350mm deep - Fixed	C50.10120.PS8PC
550mm deep - Fixed	C50.10121.PS8PC

Brush Strips and Panels

1U Brush Panel, black	C50.10057.PS0PC
1U Blanking Panel, black	C50.10058.PS0PC

Description Part N°

Fan Tray

4 Fan 600mm deep	C50.10123.PS8PC
4 Fan 800mm deep	C50.10124.PS8PC

Plinth Kits

600x600 Plinth Kits	C50.10118.PS8PC
600x800 Plinth Kits	C50.10119.PS8PC

Baying Kit

Baying Kit	C50.10159.PS8XX
------------	-----------------

Power Distribution - Unfiltered

4 Way Horizontal Mounting	C50.10125.PS8PC
6 Way Horizontal Mounting	C50.10126.PS8PC
10 Way Vertical Mounting	C50.10128.PS8PC
12 Way Vertical Mounting	C50.10129.PS8PC

Power Distribution - Filtered

4 Way Horizontal Mounting	C50.10130.PS8PC
6 Way Horizontal Mounting	C50.10071.PS8PC
6 Way Filtered Vertical Mounting	C50.10072.PS8PC
10 Way Filtered Vertical Mounting	C50.10132.PS8PC
12 Way Filtered Vertical Mounting	C50.10133.PS8PC

Wall Mounted Brackets - Hinged with top & bottom

2U Wall Mounted Brackets	C50.10032.PS0PC
3U Wall Mounted Brackets	C50.10031.PS0PC
4U Wall Mounted Brackets	C50.10030.PS0PC
6U Wall Mounted Brackets	C50.10029.PS0PC

Our current range of products runs from 19" wall mounted enclosures to large freestanding cabinets. Each product is designed, configured and assembled in the UK.



Pressac

Call sales on
0115 936 5236

1.0 Basis of Sale

- 1.1 These Conditions are the only terms and conditions upon which Pressac Communications Limited of Glaisdale Drive West, Bilborough, Nottingham NG8 4GY ("the Company") is prepared to deal with its customer ("the Buyer") and they shall govern the contract between the Company and the Buyer for the sale and purchase of goods ("the Contract") to the entire exclusion of any other express or implied conditions. These Conditions may only be modified by a variation in writing signed on behalf of the Company by a Director and no other action on the part of the Company (whether delivery of the goods or otherwise) shall be construed as an acceptance of any other conditions. These Conditions take precedence over any conditions appearing on the Buyer's order form or other documents emanating from the Buyer.
- 1.2 In these Conditions, unless the context otherwise requires, "goods" means the goods which the Company is to supply to the Buyer under the Contract.
- 1.3 These Conditions (as modified in accordance with Condition 1.1, together with any matters referred to on the face of the Company's quotation and/or acceptance of order) embody the entire understanding of the parties and supersede any prior promises, representations, undertakings or implications.
- 1.4 The Buyer may not cancel, defer or alter a Contract unless the Buyer notifies the Company in writing of its wish to cancel, defer or alter a Contract such written notice to be received by the Company no later than 30 days from the date on which the Contract was concluded under Condition 1.5 unless otherwise agreed in writing by the Company. If the Buyer cancels a Contract the Buyer shall indemnify the Company in full against all loss (including loss of profit) costs (including the cost of all labour and materials used) damages charges and expenses incurred by the Company as a result of cancellation.
- 1.5 The Contract shall be concluded when the Company despatches the goods to the Buyer. Any quotation in whatever form given to the Buyer is given subject to these Conditions and does not constitute an offer to sell. Acceptance of delivery of the goods will be deemed conclusive evidence of the Buyer's acceptance of these Conditions.

2.0 Design and Manufacture

- 2.1 The Company reserves the right to alter or improve the design specification materials or methods of manufacture from time to time and may substitute other reasonably similar parts for any proprietary or special part ordered by the Buyer which the Company considers to be unprocurable in sufficient time or procurable with difficulty or at excessive cost.
- 2.2 The Buyer shall keep the Company informed in writing of any changes in scientific and technical knowledge which could effect the safety of goods supplied. Where the Company is complying with instructions given by the Buyer in respect of details of the manufacture of goods, the Company will require written indemnification from the Buyer in relation to actions brought under the Consumer Protection Act 1987 which are attributable to such compliance.
- 2.3 The Buyer shall be responsible for:-
- 2.3.1 ensuring the accuracy of the order; and
- 2.3.2 providing the Company with any information which is necessary in order to enable the Company to fulfil the order and comply with all labelling, marking and other legal requirements within the territory in which goods are to be used or to which goods are to be sold, resold or supplied.

3.0 Quality

- 3.1 The Company warrants that goods shall either :-
- 3.1.1 comply with any written specification agreed between the Company and the Buyer; or
- 3.1.2 where no written specification is agreed be free from defects in material and workmanship attributable to the Company for a period of 12 months from the date of delivery or the date of invoicing of goods whichever occurs first.
- 3.2 If any goods do not conform to the warranty in Condition 3.1 the Company will at its option :-
- 3.2.1 replace goods found not to conform to the warranty; or
- 3.2.2 take such steps as the Company deems necessary to bring goods into a state where they are free from such defects; or
- 3.2.3 take back goods found not to conform to the warranty and refund the appropriate part of the purchase price;
- Provided that the liability of the Company shall in no event exceed the purchase price of the goods and performance of any one of the above options shall constitute an entire discharge of the Company's liability under the warranty in Condition 3.1.

- 3.3 Any goods which have been replaced will belong to the Company. Any repaired or replacement goods will be liable to repair or replacement under the terms specified in Condition 3.2 (but subject to Condition 3.4) for the unexpired portion of the 12 month period from the original date of delivery of the goods which have been replaced.
- 3.4 The foregoing warranty is conditional upon :-
- 3.4.1 the Buyer giving written notice to the Company of the alleged defect in the goods such notice to be received by the Company within seven days of the time when the Buyer discovers or ought to have discovered the defect and in any event within twelve months of delivery of the goods; and
- 3.4.2 the Buyer affording the Company a reasonable opportunity to inspect the goods and, if so requested by the Company, returning the allegedly defective goods to the Company's works, carriage pre-paid, for inspection to take place there, any returns of allegedly defective goods to be made pursuant to the Company's Return Material Authorisation Procedure. For the avoidance of doubt in the event of a conflict between these Conditions and the Company's Return Material Authorisation Procedure these Conditions shall prevail; and
- 3.4.3 goods not having been altered or modified in any way whatsoever or not having been subjected to misuse, abuse or unauthorised repair; and
- 3.4.4 goods being properly installed and connected (unless the Company carried out such installation and connection); and
- 3.4.5 the Buyer complying with its obligations under this or any other contract made with the Company; and
- 3.4.6 goods having been under normal use, operation, maintenance and service; and
- 3.4.7 goods having been handled, operated, used and maintained in accordance with the Company's instructions (if any); and
- 3.4.8 goods having been properly stored and handled (which shall include not being exposed to weather when this is not appropriate for the goods in question); and
- 3.4.9 goods not being normally consumed in operation nor having a normal life inherently shorter than the warranty period stated above or goods not being components which are normally consumed in operation nor which have a normal life inherently shorter than the warranty period stated above.
- 3.5 In the event of any breach of the Company's express obligations under Conditions 3.1 to 3.4 above the remedies of the Buyer will be limited to damages.
- 3.6 The Company does not exclude its liability (if any) to the Buyer:
- 3.6.1 for breach of the Company's obligations arising under Section 12 Sale of Goods Act 1979 or Section 2 Sale and Supply of Goods and Services Act 1982;
- 3.6.2 for personal injury or death resulting from the Company's negligence; under Section 2 (3) Consumer Protection Act 1987;
- 3.6.4 for any matter which it would be illegal for the Company to exclude or to attempt to exclude its liability; or
- 3.6.5 for fraud.
- 3.7 Except as provided in Condition 3.1 to 3.4 the Company will be under no liability to the Buyer whatsoever (whether in contract, tort (including negligence), breach of statutory duty, restitution or otherwise) for any injury, death, damage or direct, indirect or consequential loss (all three of which terms include, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and like loss) howsoever caused arising out of or in connection with:
- 3.7.1 any of the goods, or the manufacture or sale or supply, or failure or delay in supply of the goods by the Company or on the part of the Company's employees, agents or sub-contractors;
- 3.7.2 any breach by the Company of any of the express or implied terms of the Contract;
- 3.7.3 any use made or resale by the Buyer of any of the Goods, or of any product incorporating any of the goods;
- 3.7.4 any statement made or not made, or advice given or not given, by or on behalf of the Company.
- 3.8 Except as set out in Conditions 3.1 to 3.4 the Company hereby excludes to the fullest extent permissible in law all conditions, warranties and stipulations, express (other than those set out in the Contract or these Conditions) or implied, statutory, customary or otherwise which, but for such exclusion, would or might subsist in favour of the Buyer.
- 3.9 In the event that notwithstanding the foregoing provisions of this Condition 3 the Company is found liable for any loss or damage suffered by the Buyer, that liability shall in no event exceed the purchase price of the goods.



Pressac

Call sales on
0115 936 5236

Terms and Conditions

- 3.10 The Buyer acknowledges that the foregoing provisions of this Condition 3 are reasonable and reflected in the purchase price of the goods which would be higher without those provisions and the Buyer will accept such risk and/or insure accordingly.
- 4.0 Price and Payment**
- 4.1 Unless otherwise agreed in writing, the price charged for goods shall be calculated in accordance with the Company's price list in issue at the date of dispatch and shall be subject to value added tax and any other taxes, duties or levies from time to time imposed.
- 4.2 For the avoidance of doubt the Company reserves the right in its sole discretion to vary prices given in any quotation issued prior to the Buyer placing an order on that quotation.
- 4.3 Without prejudice to Condition 4.1 and Condition 4.2 the Company shall be entitled to increase the price charged for goods to cover standard lead times and extra expenses incurred as a result of the Buyers instructions or lack of instructions (which shall include instructions that the order shall be expedited to less than the Company's standard lead times).
- 4.4 Payment will be made to the Company by the Buyer net monthly unless otherwise agreed in writing.
- 4.5 If any payment that is to be made by the Buyer to the Company is overdue, interest will be chargeable thereon (both before as well as after judgment) on a day to day basis at the same annual rate as is prescribed from time to time pursuant to Section 6 Late Payment of Commercial Debts (Interest) Act 1998, until the sum due is paid.
- 4.6 Without prejudice to the Company's rights under Condition 4.5, where any sum owed by the Buyer to the Company under the Contract or any other contract is overdue the Company may cancel or suspend any deliveries of goods due to be made to the Buyer until arrangements as to payment or credit have been established which are satisfactory to the Company.
- 4.7 Payment of the price shall be made by the Buyer in pounds sterling or any other currency agreed with the Company by transfer to such United Kingdom bank account as the Company may from time to time notify to the Buyer.
- 5.0 Taxes**
- The Buyer shall be liable for and shall pay all taxes and charges imposed by any taxing authority relating to the purchase, ownership, possession, use, operation or relocation of goods purchased from the Company except any taxes based on the Company's net income. All such applicable taxes shall be invoiced to and payable by the Buyer in addition to the price of goods, unless the Buyer provides the Company with a Tax Exemption Certificate or equivalent acceptable to applicable taxing authorities.
- 6.0 Right of Set-Off**
- 6.1 The Company reserves the right to set-off any sums owed by the Company to the Buyer against any sums due from the Buyer to the Company.
- 6.2 The Buyer will have no right of set-off statutory or otherwise.
- 7.0 Lien**
- The Company will (without prejudice to any other remedy available to it) have in respect of all unpaid debts due from the Buyer a general lien on all property of the Buyer in the possession of the Company for whatever purposes and whether worked upon or not and be entitled on the expiration of not less than 14 days notice in writing to the Buyer to dispose of such property and to apply the proceeds towards the satisfaction of such debts.
- 8.0 Delivery**
- 8.1 Unless otherwise expressly agreed in writing, delivery of each consignment of goods shall be made to the place, and in the manner, designated in writing by the Buyer when placing the order, provided that the Company shall be entitled to withhold delivery of the goods until the Buyer has paid all sums due to the Company hereunder.
- 8.2 Unless otherwise agreed, the price quoted for goods by the Company shall be exclusive of the costs of delivering the same for which the Company shall invoice the Buyer separately. Such charges shall include the costs of freight and insurance and the Company's handling charge.
- 8.3 The Company will use reasonable endeavours to deliver each of the Buyer's orders for the goods by the time specified by the Company in its quotation and if no times are specified then within a reasonable time but the time of delivery will not be of the essence. If, despite those endeavours, the Company is unable for any reason to fulfil any delivery on the specified date the Company will be deemed not to be in breach of the Contract nor (for the avoidance of doubt) will the Company have any liability to the Buyer for direct, indirect or consequential loss (all three of which terms include, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and like loss) howsoever caused (including as a result of negligence) by any delay or failure in delivery. Any delay in deliver will not entitle the Buyer to cancel the order or the contract.
- 9.0 Notification of Loss, Damage or Non-Delivery of Goods**
- The Company will repair or replace, free of charge, goods damaged or lost in transit or not delivered where delivery has been made by the Company's carrier, provided the Buyer shall advise any carrier and the Company in writing (otherwise than by a qualified signature on the carrier's delivery note) of such damage or loss or non-delivery:-
- 9.1 in the case of partial loss or damage, or non-delivery of any separate part of a consignment, within 3 days of the date of delivery of the consignment or part consignment; or
- 9.2 in the case of non-delivery, or total loss or damage, of the whole consignment, within 14 days of the scheduled delivery date. In addition, in the event of goods being damaged on receipt the Buyer shall also endorse the carrier's delivery note accordingly.
- 10.0 Discrepancies in Delivery**
- Claims for discrepancies between goods described as having been packed and those received in the package will only be considered if the packing slip is returned to the Company within 10 days of receipt of goods
- 11.0 Force Majeure**
- The Company shall have the right to cancel or delay delivery or to reduce the volume of goods delivered if it is prevented from or hindered in or delayed in manufacturing or delivering (whether by normal routes or other means) goods through any circumstances beyond its reasonable control including (but not limited to) a failure by the Company's supplier to supply or deliver goods to the Company, strikes, lock-outs or other industrial action, accident, war, fire, reduction in or non-availability of power and manufacturing plant, tools or machinery or shortage or non-availability of raw materials from normal sources or routes of supply.
- 12.0 Risk and Property**
- 12.1 The risk in goods shall pass to the Buyer upon delivery of goods to the Buyer or any carrier acting on the Buyer's behalf.
- 12.2 The property in goods shall not pass to the Buyer until the full price of goods and goods which are the subject of any other contract between the Buyer and the Company is paid.
- 12.3 Until such time as the full price for goods has been paid:-
- 12.3.1 they shall be held by the Buyer in a fiduciary capacity and stored by the Buyer at its premises in such a manner that they are clearly identifiable as goods of the Company and shall be kept separate from any other goods whether or not supplied by the Company;
- 12.3.2 they shall be handed over to the Company on demand and the Company shall be entitled to retake possession of them without prejudice to any of its other rights against the Buyer and the Company is hereby granted a licence to enter into the Buyer's premises for the purpose of recovering goods; and
- 12.3.3 the Buyer must not destroy, deface or obscure any identifying mark or packaging on or relating to the goods and will maintain the goods in satisfactory condition insured for their full price against all reasonable risks.
- 12.4 If the Buyer fails to pay for goods in accordance with these Conditions the Company shall have the right to bring an action against the Buyer for the price of goods at any time notwithstanding that property in goods has not passed to the Buyer.



Pressac

Call sales on
0115 936 5236

Terms and Conditions

13.0 Drawings and Descriptions

All drawings, photographs, illustrations, specifications, performance data, dimensions, weights and the like, whether contained in the contract or made by way of representation, have been provided by the Company in the belief that they are as accurate as reasonably possible, but they do not constitute a description of goods, shall not be taken to be representations by the Company, and are not warranted to be accurate.

14.0 Patents

The Company will not accept responsibility for any patent, registered design or trade mark infringement for goods produced by the Company to the Buyer's design and/or specification and the Buyer shall indemnify the Company against all actions, costs, claims, demands, damages and liabilities for or in respect of any proceedings brought against the Company concerning the infringement. The Buyer shall immediately notify the Company upon receiving details of any allegation of any infringement.

15.0 Product Literature

Illustrations, leaflets, advertisements and drawings or any other material issued by or on behalf of the Company are not binding as to detail and the Buyer agrees and acknowledges that in entering into the Contract the Buyer has not relied on any statement of opinion or representation that may have been made by the Company in any of the materials specified in this Condition 15. Such matters shall not form part of what would be admissible as evidence in any proceedings by or against the Company

16.0 Confidentiality

- 16.1 All technical and commercial information, documentation and know-how of any kind supplied by the Company to the Buyer ("Information") shall be treated by the Buyer as confidential and not disclosed to any third party without the Company's prior written consent. This obligation does not apply to Information which:-
- 16.1.1 is or becomes publicly available other than as a result of an act of the Buyer, its employees or contractors; or
- 16.1.2 is developed independently by the Buyer without reference to information produced to it by the Company.
- 16.2 The Buyer shall take all steps necessary to ensure that its employees and contractors comply with these obligations of confidentiality.

17.0 Termination

- 17.1 The Company may by notice in writing served on the Buyer terminate the Contract forthwith if the Buyer:
- 17.1.1 is in material breach of any of the terms of the Contract and where the breach is capable of remedy, the Buyer fails to remedy such breach within 30 days of service of a written notice from the Company specifying the breach and requiring it to be remedied;
- 17.1.2 should become bankrupt or insolvent (which terms include without limitation becoming subject to a voluntary arrangement, having a receiver manager administrator or administrative receiver appointed over its assets or undertaking, being wound up or having petitions presented for its winding up, or having a bankruptcy order made against it) or enters into any arrangement with its creditors or take or suffer any similar actions in consequence of a debt;
- 17.1.3 ceases to trade or appears in the reasonable opinion of the Company likely or is threatening to cease to trade;
- 17.1.4 suffers the equivalent of any of the foregoing under the jurisdiction to which the Buyer is subject.
- 17.2 The termination of the Contract howsoever arising is without prejudice to the rights, duties and liabilities of either the Buyer or the Company accrued prior to termination and the conditions which expressly or impliedly have effect after termination will continue to be enforceable notwithstanding termination.
- 17.3 The Company will be entitled to suspend any deliveries otherwise due to occur following service of a notice under Condition 17.1 until either the breach is remedied or the Contract terminates whichever occurs first.
- 17.4 On termination of the Contract the Company will be entitled to recover the possession of any goods for which payment in full has not been received.

18.0 Export terms

- 18.1 In these Conditions "Incoterms" means the international rules for the interpretation of trade terms of the International Chamber of Commerce as in force at the date when the Contract is made. Unless the context otherwise requires, any term or expression which is defined in or given a particular meaning by the provisions of Incoterms shall have the same meaning in these Conditions, but if there is any conflict between the provisions of Incoterms and these Conditions, the latter shall prevail.
- 18.2 Where the goods are supplied for export from the United Kingdom, the provisions of this clause 18 shall (subject to any special terms agreed in writing between the Buyer and the Company) apply notwithstanding any other provision of these Conditions.
- 18.3 The Buyer shall be responsible for complying with any legislation or regulations governing the importation of the goods into the country of destination and for the payment of any duties on them.
- 18.4 Unless otherwise agreed in writing between the Buyer and the Company, the goods shall be delivered ex-works and the Company shall be under no obligation to give notice under Section 32(3) Sale of Goods Act 1979.
- 18.5 The Buyer shall be responsible for arranging for testing and inspection of the goods at the Company's premises before shipment. The Company shall have no liability for any claim in respect of any defect in the goods which would be apparent on inspection and which is made after shipment, or in respect of any damage during transit.
- 18.6 Payment of all amounts due to the Company shall be made either by irrevocable letter of credit opened by the Buyer in favour of the Company and confirmed by a bank acceptable to the Company or by other payment arrangements agreed with the Company.

19.0 General

- 19.1 These Conditions shall be governed by English law and the Company and the Buyer subject themselves to the non-exclusive jurisdiction of the English Courts
- 19.2 If any of the above Conditions shall be found at any time hereafter to be invalid such invalidity shall in no way prejudice or affect the remainder of the Conditions which shall continue in full force and effect.
- 19.3 The failure to exercise or delay in exercising a right or remedy under these Conditions shall not constitute a waiver of the right or remedy or a waiver of any further right or remedy and no single or partial exercise of any right or remedy under these Conditions shall prevent any further exercise of the right or remedy or the exercise of any other right or remedy.
- 19.4 Any notice to be given under these Conditions shall be delivered personally or sent by first class pre-paid post addressed to the recipient at its registered office (or such other address as may have been notified as the address appropriate for the receipt of notices). The notice will be deemed to have been duly served if delivered by hand at the time of delivery or if delivered by first class post 72 hours after being posted.
- 19.5 The Company may assign, delegate, license, hold on trust or sub-contract all or any of its rights or obligations under the Contract.
- 19.6 The Contract is personal to the Buyer who may not assign, delegate, license, hold on trust or sub-contract all or any of its rights or obligations under the Contract without the Company's prior written consent.
- 19.7 The Company and the Buyer do not intend that any of these Conditions or any terms of the Contract will be enforceable by virtue of the Contracts (Rights of Third Parties) Act 1999 by any other person.

Note : The Company's prices are calculated on the basis that the above Conditions will apply. Buyers requiring prices to be quoted on a different basis should inform the Company.



Pressac

**Call sales on
0115 936 5236**

Working together - our joint approach

“At Pressac it’s our aim to deliver customer value through a commitment to service, total quality manufacturing excellence and innovation.”

**Paul Roberts,
Managing Director,
Pressac Communications Ltd**

Pressac Communications Ltd
Glaisdale Drive West
Nottingham
NG8 4GY

Tel: +44 (0) 115 936 5200
Fax: +44 (0) 115 936 5252
Email: sales@presscomm.co.uk

Technical Support
Tel: +44 (0) 115 5222
Email: tech.support@presscomm.co.uk



Pressac

Visit the Pressac web site for comprehensive information about our company, products and services at www.presscomm.co.uk